

# Work Order ID 67972

Tuesday, April 05, 2011 9:05:36 AM



Page 1

Item ID: D212-664-101TRN

Accept



Setup Start



Revision ID:

Item Name: Crosstube Turning Detail

Stop



Start Date: 4/5/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 4/11/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: 

Date: 11/06/15 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D212-664-141

Rev D

100

0.00



MORI SEIKI CNC LATHE LARGE


Mori Seiki

Memo

0.00

Mori Seiki CNC Lathe Large

1-Fill tube with sand & install plugs DT8534 on both ends as per Folio FA113  
2-Turn first side as per Folio FA113  
3-File down transition lines smooth.

 11/4/12

110

0.00




QC1- Inspect dimensions to dimension sheet

QC

Memo

0.00

Quality Control

 11/4/12

120

0.00



MORI SEIKI CNC LATHE LARGE


Mori Seiki

Memo

0.00

Mori Seiki CNC Lathe Large




1-Turn second side as per Folio FA113  
2-File down transition lines smooth.  
3-Remove sand and plugs

 11/4/13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
11.04.13	100	O.D. 15 under tolerance by 0.003 - 0.005 in several locations. Due to excessive chatter.	 11.04.13 BSJ/412	Acceptable. Margins of safety are still positive	 11/4/13		 11.04.13 BSJ/412	

NOTE: Date & initial all entries

# Work Order ID 67972

Tuesday, April 05, 2011 9:05:37 AM



Page 2

Item ID:	D212-664-101TRN	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	Crosstube Turning Detail					
Start Date:	4/5/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	4/11/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  QC Quality Control	QC1- Inspect dimensions to dimension sheet  Memo	0.00  0.00							
				4/4/13		1			
140  QC Quality Control	QC8- Inspect parts - second check  Memo	0.00  0.00							
				11-4-14		1			
150  HandFXtube Hand Finishing Crosstubes	Crosstubes Chemical Conversion  Memo	0.00  0.00							
				SAD 11-04-14		2			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 67972

Tuesday, April 05, 2011 9:05:37 AM



Page 3

Item ID: D212-664-101TRN

Accept



Setup Start



Revision ID:

Item Name: Crosstube Turning Detail

Stop



Start Date: 4/5/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 4/11/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

160

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

11-4-14

170

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and Stock in kanban rack  
Location: WA

SAP 11-04-14

①

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/4/14

MF

11-04-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, April 05, 2011 9:05:43 AM

Page 1

Work Order ID: 67972



Parent Item: D212-664-101TRN



Parent Item Name: Crosstube Turning Detail

Start Date: 4/5/2011

Required Date: 4/11/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 08-03-06 new issue DD verified by:ec  
IPP Rev B 08.04.02 removed Polish EC verified by: DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6005-128  Crosstube Material		Manufactured	No			120	Each	10.0000	1	1		4/14/12	

Location

LG

57911

Loc Qty

10,  
10

Loc Code

1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



<b>DART AEROSPACE LTD</b>	<b>Work Order:</b>	47972
<b>Description:</b> Crosstube Assembly (205/212/412 High Fwd)	<b>Part Number:</b>	D212-664-141
<b>Inspection Dwg:</b> D212-664-141 Rev: D		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

	Inspection Sheet Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
SIDE A	0.200	+/-0.010	.210	/		SA9	
	R0.063	+/-0.010	R.063	/		R.G	
	2.740	+0.005/-0.000	2.747	/		CNC-04	
	5.097	+/-0.030	5.120	/			OK
	2.304	+0.005/-0.000	2.306	/			
	2.340	+0.005/-0.000	2.340	/			
	2.398	+0.005/-0.000	2.395	/			
	2.448	+0.005/-0.000	2.443	/			
	2.498	+0.005/-0.000	2.494	/			
	2.549	+0.005/-0.000	2.554	/			
	2.599	+0.005/-0.000	2.604	/			
	2.671	+0.005/-0.000	2.675	/			
	2.701	+0.005/-0.000	2.705	/			
SIDE B	0.200	+/-0.010	.210	/			
	R0.063	+/-0.010	R.063	/			
	2.740	+0.005/-0.000	2.744	/			
	5.097	+/-0.030	5.120	/			
	2.304	+0.005/-0.000	2.306	/			
	2.340	+0.005/-0.000	2.341	/			
	2.398	+0.005/-0.000	2.402	/			
	2.448	+0.005/-0.000	2.452	/			
	2.498	+0.005/-0.000	2.502	/			
	2.549	+0.005/-0.000	2.554	/			
	2.599	+0.005/-0.000	2.604	/			
	2.671	+0.005/-0.000	2.675	/			
	2.701	+0.005/-0.000	2.705	/			
	126.514	+/-0.020	126.51	/		Tag	

<b>Measured by:</b>	<b>Audited by:</b>	<b>Prototype Approval:</b>	N/A
<b>Date:</b> 10/4/12	<b>Date:</b> 11-4-14	<b>Date:</b>	N/A

Rev	Date	Change	Revised by	Approved
A	05.04.27	New Issue (P/O D412-664-101)	KJ/JLM	
B	06.03.15	Tolerance revised for 5.097 per Dwg Rev update	KJ/JLM	
C	07.05.28	Dwg Rev updated	KJ/JLM	
D	10.02.02	Dimension 126.514 was 126.51	KJ	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Item	Qty -141	Qty -141B	Part Number	Description
1	X		D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		X	D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
3	1	1	D6005-128	CROSSTUBE
4	2	2	D2893-1	SUPPORT
5	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

#### GENERAL NOTES:

- 1) MATERIAL: MANUFACTURED FROM D6005-128  
FINISHED LENGTH = 126.514±0.020"
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF  
USING VIBRATING STYLUS
- 7) WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664)  
D212-664-141B = 33.6 lbs (PER IIN-D212-664)
- 8) PART IS SYMMETRIC ABOUT CENTERLINE.
- 9) RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS  
6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF  
D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER  
INSTALLATION AND PRIOR TO PACKAGING.
- 13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1  
SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE  
SUPPORT.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE  
SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR  
DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND  
MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT  
HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 67972

*PLH-04-5*

**RELEASED**  
2009-10-29

D	REFORMAT/REVISE GENERAL NOTES/PART LIST; REORGANIZED VIEWS AND REFORMATTED DRAWING TO CURRENT STANDARDS; ADD -141B (ZN B4-2, D4-2); REMOVED REF & ADD TOLERANCES (ZN B4-3, C6-3, C8-3 & B6-3); RELOCATED FLAG #6 PER PAR 08-046 (ZN A5-3); MOVED TURNING DETAIL & UPDATED TOLERANCE TO SHEET 4	RE	09.09.30
C	REMOVE -851 ABRASION STRIP; ADD MAGNOBOND 6398, CUSHION, REVERSE CLAMPS	PH	07.03.08
B	ADD HOLES FOR COMPATABILITY WITH BHT/AA SKIDTUBES	PH	05.02.04
A	NEW ISSUE	PH	00.12.12
REV.	DESCRIPTION	BY	DATE
DESIGN	PH		
DRAWN	RF		
CHECKED	PH		
MFG. APPR.	PH		
APPROVED	PH		
DE APPR.	PH		
DATE	09.09.30		

<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D212-664-141	REV. D SHEET 1 OF 4
TITLE XTUBE ASS'Y (205/212/412 HI FWD)	SCALE NTS
COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W10 67972

RELEASED  
2009-10-29

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	QD	DRAWING NO.	REV. D
MFG. APPR.	JS	D212-664-141	SHEET 2 OF 4
APPROVED	14	TITLE	SCALE
DE APPR.	14	XTUBE ASS'Y (205/212/412 HI FWD)	NTS
DATE	09.09.30	COPYRIGHT © 2000 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


u/o 47972



**D212-664-501**  
**BENDING AND DRILLING DETAIL** 10 D



**VIEW C-C: CUFF DETAIL** C2-3  
SCALE 3X



**SECTION B-B** C4-3  
SCALE 4X

**RELEASED**  
2009-10-29

DESIGN	PH	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. D
MFG. APPR.	RF	D212-664-141	SHEET 3 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	XTUBE ASS'Y (205/212/412 HI FWD)	NTS
DATE	09.09.30	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMET OR COMMUNICATIONS TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_




Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries



U-1067972



**D212-664-141TRN**  
**TURNING DETAIL**



**RELEASED**  
2009-10-29

DESIGN	PH	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO.	REV. D
MFG. APPR.	DS	D212-664-141	SHEET 4 OF 4
APPROVED	AP	TITLE	SCALE
DE APPR.	TH	XTUBE ASSY (205/212/412 HI FWD)	NTS
DATE	09.09.30	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

### 3.2 Forward Crosstube Comparison

The Dart forward crosstube is defined by drawing D212-664-141. The Bell forward crosstube dimensions are based on measurements taken from BHT crosstube 212-321-103 A-135 (equivalent to 412-050-046-101). The relative locations of the sections used in this comparison are shown in Figure 3 (on page 7). Table 1 gives the cross-sectional properties of the Bell and Dart crosstubes at locations that correspond to changes in taper of the Dart crosstubes.

Table 1: Forward High-Gear Crosstube Cross-sections

SECTION	Crosstube	Damage Tolerance	O.D. (in)	I.D. (in)	Area (in <sup>2</sup> )	Inertia (in <sup>4</sup> )
A-A	Bell Fwd	0.000	2.750	2.000	2.798	2.022
	Bell Fwd w/ dam. tol.	0.005			2.788	2.003
	Dart Fwd	0.000	2.750	2.000	2.798	2.022
	Dart Fwd w/ dam. tol.	0.015			2.692	1.894
B-B	Bell Fwd	0.000	2.706	2.000	2.609	1.847
	Bell Fwd w/ dam. tol.	0.005			2.599	1.828
	Dart Fwd	0.000	2.701	2.000	2.588	1.827
	Dart Fwd w/ dam. tol.	0.015			2.444	1.708
C-C	Bell Fwd	0.000	2.605	2.000	2.188	1.475
	Bell Fwd w/ dam. tol.	0.015			2.158	1.424
	Dart Fwd	0.000	2.599	2.000	2.164	1.454
	Dart Fwd w/ dam. tol.	0.015			2.020	1.339
D-D	Bell Fwd	0.000	2.555	2.000	1.986	1.306
	Bell Fwd w/ dam. tol.	0.015			1.956	1.258
	Dart Fwd	0.000	2.549	2.000	1.961	1.287
	Dart Fwd w/ dam. tol.	0.015			1.817	1.173
E-E	Bell Fwd	0.000	2.504	2.000	1.783	1.144
	Bell Fwd w/ dam. tol.	0.010			1.763	1.113
	Dart Fwd	0.000	2.499	2.000	1.763	1.129
	Dart Fwd w/ dam. tol.	0.015	-0.005		1.619	1.017
F-F	Bell Fwd	0.000	2.404	2.000	1.397	0.854
	Bell Fwd w/ dam. tol.	0.010			1.377	0.825
	Dart Fwd	0.000	2.399	2.000	1.379	0.840
	Dart Fwd w/ dam. tol.	0.012	-0.005		1.240	0.741
G-G	Bell Fwd	0.000	2.300	2.000	1.013	0.588
	Bell Fwd w/ dam. tol.	0.010			0.993	0.562
	Dart Fwd	0.000	2.304	2.000	1.028	0.598
	Dart Fwd w/ dam. tol.	0.012			0.890	0.501
H-H	Bell Fwd	0.000	2.750	2.000	2.798	2.022
	Bell Fwd w/ dam. tol.	0.030			2.738	1.909
	Dart Fwd	0.000	2.740	2.000	2.755	1.981
	Dart Fwd w/ dam. tol.	0.030			2.581	1.804

→ 1.001

→ 0.732



## 4.2 Fwd Crosstube Strength Comparison (refer to Table 1 on page 8)

Table 3: Forward High-Gear Crosstube Strength Comparison

SECTION **	Cross tube	Bending Ultimate (lb*in)	Bending Yield (lb*in)	Tension Ultimate (lb)	Tension Yield (lb)	Shear Ultimate (lb)
A-A	Bell fwd w/ DT	96147	81580	184007	156127	117095
	Dart fwd w/ DT	106069	90916	207296	177682	110379
	Margin of Safety	0.10	0.11	0.13	0.14	-0.06
B-B	Bell fwd w/ DT	89184	75671	171563	145568	109176
	Dart fwd w/ DT	97364	83455	188197	161312	100209
	Margin of Safety	0.09	0.10	0.10	0.11	-0.08
C-C	Bell fwd w/ DT	72166	61232	142437	120856	90642
	Dart fwd w/ DT	79333	68000	155504	133289	82801
	Margin of Safety	0.10	0.11	0.09	0.10	-0.09
D-D	Bell fwd w/ DT	64967	55124	129063	109508	82131
	Dart fwd w/ DT	70890	60763	139937	119946	74512
	Margin of Safety	0.09	0.10	0.08	0.10	-0.09
E-E ✱	Bell fwd w/ DT	58674	49784	116349	98721	74040
	Dart fwd w/ DT	<del>62696</del>	53739	124673	106863	66384
	Margin of Safety	0.07 <i>0.05</i>	0.08	0.07	0.08	-0.10
F-F ✱	Bell fwd w/ DT	45310	38445	90908	77134	57851
	Dart fwd w/ DT	<del>47578</del>	40781	95514	81869	50858
	Margin of Safety	0.05 <i>0.04</i>	0.06	0.05	0.06	-0.12
G-G	Bell fwd w/ DT	32243	27358	65549	55617	41713
	Dart fwd w/ DT	33501	28715	68495	58710	36471
	Margin of Safety	0.04	0.05	0.04	0.06	-0.13
H-H	Bell fwd w/ DT	91610	77729	180707	153327	114995
	Dart fwd w/ DT	101390	86906	198720	170331	105812
	Margin of Safety	0.11	0.12	0.10	0.11	-0.08

\*The negative shear margins are addressed in Section 4.6

\*\*for Section A-A, the worst case corresponds to min stock OD instead of max stock OD, so the calculation is slightly different then the sample calculation presented in section 4.1

61,709  
47,000

MARGINS STILL POSITIVE  
WITH OD REDUCED BY 0.005" - 0.003"

Acceptable CP 11.04.13

• COPYRIGHT © 2001 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: A

Date: 01.02.01

282

